



# HAM Radios and Receivers

European Edition



## CENNIK RADIOSTACJI AMATORSKICH (01.12.2024 Rev 1.7)



# TABLE OF CONTENTS

---

## BASE STATION RADIO

IC-7610 .....	Page 4
IC-7300 .....	Page 4
IC-7100 .....	Page 4
IC-718 .....	Page 4
IC-9700 .....	Page 4

## MOBILE RADIO

ID-5100E .....	Page 14
IC-2730E .....	Page 14

## D-STAR REPEATER

ID-RP2C .....	Page 17
ID-RP2D .....	Page 17
ID-RP2V .....	Page 17
ID-RP2000V .....	Page 17
ID-RP4000V .....	Page 17
RS-RP3C .....	Page 17

## HANDHELD RADIO

IC-705 .....	Page 10
IC-V80E .....	Page 12

# UPDATE HISTORY

---





19/12/2017	Rev 1.0	First edition is published.
01/04/2019	Rev 1.1	IC-9700 was added CR-338 was discontinued HM-36 was discontinued and its successor HM-219 was added
08/05/2019	Rev 1.2	Price of IC-7610 was lowered
25/02/2021	Rev 1.3	IC-705 was added 7851, ID-4100E, ID-51E, PS-126, IC-PW1 are removed (discontinue)
01/10/2021	Rev 1.4	RRP revised *AH-705 was added *IC-718, IC-V80E was discontinued *ID-RP2C, ID-RP2D, ID-RP2V, ID-RP2000V, ID-RP4000V discontinued, & replaced to ID-RP1200VD, ID-RP2010V, ID-RP4010V. *Intergrated Reciever pricelist *R30 discontinued
01/09/2022	Rev 1.5	RRP revised
01/01/2024	Rev 1.6	*ID-50E, IC-T10 were added *RRP for IC-7100 was revised
01/12/2024	Rev 1.7	General RRP change *RRP for ID-50E was revised *OPC-478UC was replaced to OPC-478UD *VS-3 discontinued

---








All purchaces are subject to sales terms and conditions of Icom (Europe) GmbH. All prices in this price book are in euro without VAT. All prices, specifications and descriptions are subject to change without prior notice or obligations. Icom (Europe) GmbH takes no responsibility for problems caused by this price book including possible incorrect informion.

All the specifications and prices are subject to change without notice.

## BASE STATION RADIO

Picture	Model	List Price (excl.VAT)	Descriptions
	<b>IC-7610</b>	<b>3,424.13 €</b>	HF/50MHz Transceiver
	<i>Standard Supply</i>		HM-219(Hand microphone), DC Power cable, others
	<b>IC-7300</b>	<b>1,267.88 €</b>	HF/50MHz/70MHz Transceiver
	<i>Standard Supply</i>		HM-219 (Hand microphone), DC power cable, others
	<b>IC-7100</b>	<b>1,327.47 €</b>	HF/VHF/UHF All Mode Transceiver
	<i>Standard Supply</i>		HM-198(Hand Microphone), Control cable, ACC cable, DC power cable, USB cable, others
	<b>IC-9700</b>	<b>1,843.67 €</b>	144, 430/440, 1200 MHz ALL MODE TRANSCEIVER
	<i>Standard Supply</i>		HM-219(Microphone), DC cable



# Accessory

Accessory				IC-7610	IC-7300	IC-7100	IC-9700
Picture	Model	List Price (excl.VAT)	Description				
HAND/DESKTOP MICROPHONE							
	HM-219	36.03 €	Hand Microphone (OPC-589 is required for IC-7100)	✓	✓	✓	
	HM-103	80.14 €	Compact Microphone			✓	
	HM-151	52.54 €	Microphone			✓	
	HM-198	32.42 €	Hand Microphone			✓	
	HM-219	36.03 €	Hand Microphone (OPC-589 is required for IC-7100)	✓	✓	✓	✓
	SM-30	187.25 €	Desktop Microphone (OPC-589 is required for IC-7100)	✓	✓	✓	✓
	SM-50	264.82 €	Desktop Microphone (OPC-589 is required for IC-7100)	✓	✓	✓	✓









## SPEAKER









	<b>SP-23</b>	<b>269.02 €</b>	External Speaker, 8Ω, 5W, 4 audio filters	✓	✓		
	<b>SP-33</b>	<b>97.24 €</b>	External Speaker, Wooden box speaker, 4Ω, 5W	✓	✓		
	<b>SP-34</b>	<b>338.11 €</b>	External Speaker, 5W, 4 audio filters	✓	✓		
	<b>SP-35</b>	<b>37.83 €</b>	Compact mobile external speaker, Max input 7W, 2m		✓	✓	✓
	<b>SP-35L</b>	<b>41.43 €</b>	Compact mobile external speaker, 7W, 6m	✓	✓		
	<b>SP-38</b>	<b>162.53 €</b>	5W, 8Ω, Cable length 1.8 m			✓	✓
	<b>SP-41</b>	<b>214.01 €</b>	With two input lines best design		✓		✓

## ANTENNA / ANTENNA TUNER / OTHERS

	<b>AH-2b</b>	<b>400.38 €</b>	Antenna Element(2.5m) with foot used with AH-4 for mobile operation. Cover area 7-54MHz	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
	<b>AH-4</b>	<b>414.30 €</b>	Antenna tuner, covers 3.5 - 54 MHz	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
	<b>AH-740</b>	<b>1,992.17 €</b>	Automatic Antenna tuner with Antenna Element, 2.5-30MHz(Amateur radio band), Cable Adapter OPC-2321 is required.	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
 <p style="font-size: small;">approx. 24.5 m; 80.9 ft 30 m; 98.4 ft</p>	<b>AH-710</b>	<b>373.77 €</b>	Floded dipole antenna covers 1.9 - 30 MHz	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		
	<b>AH-730</b>	<b>560.10 €</b>	Automatic Antenna Tuner covers 1,8-54MHz; successor of AH-4	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
	<b>OPC-2321</b>	<b>116.85 €</b>	Control cable used for AH-740 (6m)	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	

## OTHERS

	<b>MB-121</b>	<b>21.02 €</b>	Carry handle	✓		
	<b>MB-123</b>	<b>19.72 €</b>	Carry handle		✓	✓
	<b>MB-62</b>	<b>15.84 €</b>	Mobile mounting bracket for the main unit			✓
	<b>MB-118</b>	<b>30.71 €</b>	Mobile mounting bracket for using radio in car	✓		✓
	<b>MBF-1</b>	<b>62.75 €</b>	Mounting base for the controller <b>MBA-1 is required.</b>			✓
	<b>MBA-1</b>	<b>18.75 €</b>	Controller bracket			✓
	<b>OPC-2253</b>	<b>60.05 €</b>	Separation cable, 3.5m			✓
	<b>OPC-2254</b>	<b>75.06 €</b>	Separation cable, 5.0m			✓
	<b>OPC-589</b>	<b>26.19 €</b>	Mic adapter cable, 8-pin connector microphone to 8-pin modular			✓
	<b>OPC-599</b>	<b>45.94 €</b>	Adapter cable, 13-pin ACC socket to 7-, 8-pin ACC sockets	✓	✓	
<i>NO PHOTO</i>	<b>OPC-1457</b>	<b>65.96 €</b>	DC power cable, 30A	✓		
<i>NO PHOTO</i>	<b>OPC-1457R</b>	<b>70.85 €</b>	DC power cable, 30A		✓	
<i>NO PHOTO</i>	<b>OPC-2095</b>	<b>144.60 €</b>	DC power cable, 30A	✓		✓
<i>NO PHOTO</i>	<b>CS-7100</b>	<b>60.05 €</b>	Programming Software			✓

	<b>RS-BA1</b>	<b>80.43 €</b>	Remote Control Software over IP network	✓	✓	✓	✓
	<b>RC-28</b>	<b>257.25 €</b>	Remote Encoder for remote control used with RS-BA1. Required for IC-7851, IC-7700, IC-7300, IC-7410, IC-7100 and IC-9100. Purchase RS-BA1 separately.	✓	✓	✓	
	<b>RS-MS1A</b>	<b>FREE</b>	Remote Control Software for Android over IP network <b>Used with OPC-2350LU</b>			✓	✓
	<b>OPC-1529R</b>	<b>23.60 €</b>	Data Cable (RS-232) for DV mode			✓	
	<b>OPC-2350LU</b>	<b>58.55 €</b>	Date Cable(USB) to connect with Android Terminal or PC			✓	✓
	<b>LC-7300</b>	<b>42.36 €</b>	LC-7300 (G1006) Protective Cover		✓		
	<b>LC-9700</b>	<b>42.36 €</b>	LC-7300 (G1006) Protective Cover				✓
	<b>LC-7610</b>	<b>42.36 €</b>	LC-7300 (G1006) Protective Cover	✓			












# Amateur Handheld Radio

01/01/24


All the specifications and prices are subject to change without notice.

## Amateur Handheld Radio

Picture	Model	List Price (excl.VAT)	Descriptions
	<b>IC-705</b>	<b>1,364.70 €</b>	HF/50/144/430 MHz All Mode Transceiver
	<i>Standard Supply</i>		<ul style="list-style-type: none"> <li>- Whip antenna for VHF/UHF</li> <li>- HM-243 Speaker-microphone</li> <li>- BP-272 Li-ion battery pack, 7.4 V, 2000 mAh (typ.)</li> <li>- DC power cable</li> <li>- Five printed Basic Manuals in A5 format (English, French, German, Spanish, Italian)</li> </ul>
	<b>ID-52E</b>	<b>528.53 €</b>	Handheld Dual Band D-STAR Transceiver 144-146/430-440MHz
	<i>Standard Supply</i>		Battery pack, BP-272, Wall charger, BC-167SD, Antenna, FA-S270C, Belt clip, MB-127, Hand strap
	<b>ID-50E</b>	<b>369.00 €</b>	Dual Band handheld D-STAR transceiver (144-146/430-440MHz)
	<i>Standard Supply</i>		Battery pack BP-272, Antenna FA-S270C, Belt clip MB-127, Hand strap, OPC-2480
	<b>IC-T10</b>	<b>202.06 €</b>	VHF/UHF Dual Band FM Transceiver
	<i>Standard Supply</i>		incl. BP-280, BC-213, FA-S270C, AC adapter, belt clip

Picture	Model	List Price (excl.VAT)	Description	IC-705	ID-52E	ID-50E	IC-110
<b>BATTERY / BATTERY CASE</b>							
	BP-272	73.55 €	(Lithium-Ion) 7,4V/1880mAh(min.) 2000mAh(typ.)	✓	✓	✓	
	BP-307	109.57 €	(Li-Ion), 7,2 V / 3050 mAh (min.) 3150 mAh (typ.)	✓	✓	✓	
	BP-280	61.55 €	(Li-Ion), 7,2 V / 3050 mAh (min.) 3150 mAh (typ.)				✓
<b>CHARGER / CHARGER CABLE</b>							
	BC-123SE #62	17.79 €	AC adapter (12 V/1 A) with straight type plug	✓	✓	✓	
	BC-228	57.05 €	AC adapter used for BC-202IP3L which can be used for up to six charger units.	✓	✓	✓	
	BC-202IP3L	46.21 €	- Connectable single rapid charger - Up to 6 units can be connected and charge batteries at the same time - Compatible with the BP-272 and BP-307 <b>Supplied without any AC adapter. Either BC-123SE #62 (for single use), or one BC-228 (AC Adapter) is required for connecting 6 chargers.</b>	✓	✓	✓	
	BC-213	36.33 €	Rapid Charger (for Li-Ion only; AC Adapter BC-123SE included)				✓
	CP-25H	16.17 €	Cigarette cable for use with BC-202IP3L single unit.	✓	✓	✓	
	CP-12L	28.32 €	Cigarette Lighter Cable with noise filter		✓	✓	✓
	CP-23L	21.66 €	Cigarette Lighter Cable (Output: 12V / 4A)		✓	✓	✓
	OPC-254L	28.59 €	DC Power Cable		✓	✓	✓
	OPC-2412	80.43 €	DC Power Cable	✓			

## SPEAKER MICROPHONE / HEADSET

	<b>HM-243</b>	<b>78.36 €</b>	Speaker Microphone for IC-705 · Remote control function · Powerful speaker and high quality microphone · 4 programmable buttons for Up/Down/A/B · Independent plugs for microphone and speaker	✓			
	<b>HM-153LS</b>	<b>95.56 €</b>	Earphone Microphone PTT switch w. lock; clip; slim L-plug		✓	✓	
	<b>HM-166LS</b>	<b>54.04 €</b>	Earphone Microphone PTT switch w. lock; clip; slim L-plug;		✓	✓	
	<b>HM-183LS</b>	<b>82.87 €</b>	Waterproof Speaker Mic. IPX7; 2-pin Slim L type connector		✓	✓	
	<b>HM-186LS</b>	<b>35.13 €</b>	Speaker Microphone 2-pin Slim L type connector; 3,5mm socket		✓	✓	
	<b>HM-75LS</b>	<b>75.66 €</b>	Speaker Microphone w. remote control (Slim L-plug)		✓	✓	
	<b>HM-153LA</b>	<b>91.35 €</b>	Earphone microphone				✓
	<b>HM-158LA</b>	<b>31.49 €</b>	Speaker microphone with 2-pin Screw attached connector (type LA), earphone				✓
	<b>HM-159LA</b>	<b>56.49 €</b>	Speaker microphone with 2-pin Screw attached connector (type LA), earphone				✓
	<b>HM-166LA</b>	<b>44.72 €</b>	Earphone microphone				✓
	<b>HM-168LWP</b>	<b>93.04 €</b>	Waterproof speaker microphone (IP67)				✓
	<b>HM-222HLWP</b>	<b>127.50 €</b>	Waterproof speaker microphone with 3,5 mm earphone socket				✓
	<b>HS-94LWP</b>	<b>34.83 €</b>	Earhook type headset with boom microphone				✓
	<b>HS-95LWP</b>	<b>203.16 €</b>	Behind-the-head type headset with boom microphone				✓
	<b>SP-40</b>	<b>26.51 €</b>	Regular Inner Type Earphon w.3.5mm plug		✓	✓	
	<b>HS-94</b>	<b>23.28 €</b>	Earhook Headset w. Mic. <b>adapter cable required</b>		✓	✓	
	<b>HS-95</b>	<b>160.37 €</b>	Behind-the-head Headset NOT waterproof; <b>adapter cable required</b>		✓	✓	
	<b>HS-97</b>	<b>32.42 €</b>	Headset Throat Mic. Type with earphone; <b>adapter cable required</b>		✓	✓	
	<b>OPC-2006LS</b>	<b>17.37 €</b>	Plug Cable Adapter for HS-94, -95, -97		✓	✓	
	<b>OPC-2144</b>	<b>13.24 €</b>	Plug Adapter Cable regular 2-pin to slim L-type 2-pin		✓	✓	

## OTHERS



	<b>AH-705</b>	<b>335.62 €</b>	Compact Antenna Tuner for the IC-705  Supplied Accessories: Coaxial cable (2 m, 6.6 ft, BNC connectors, between AH-705 and IC-705) / Control cable (2 m, 6.6 ft, between AH-705 and IC-705) , PL-259 to binding post adapter for a long wire antenna* / Mounting bracket (with a screw and washer) / DC plug *Terminal connector is not supplied for EUR version.	✓			
	<b>MBF-705</b>	<b>29.11 €</b>	MBF-705 Desktop stand	✓			
	<b>MB-127</b>	<b>8.73 €</b>	Belt Clip		✓	✓	
	<b>LC-192</b>	<b>190.00 €</b>	Optional Multi-function backpack for IC-705	✓			
	<b>LC-193</b>	<b>27.49 €</b>	Carrying Case		✓		
	<b>LC-202</b>	<b>27.10 €</b>	Carrying Case				✓
	<b>RS-BA1</b>	<b>80.43 €</b>	RS-BA1 "Version 2" (#12) IP Remote Control Software	✓			
	<b>AD-92SMA</b>	<b>17.14 €</b>	Antenna Connect.Adapter SMA to BNC conversion adapter		✓	✓	
NO PHOTO	<b>OPC-2417</b>	<b>27.49 €</b>	Data Cable (USB); USB micro-B to micro-B; length 107cm	✓	✓	✓	
NO PHOTO	<b>OPC-2418</b>	<b>27.49 €</b>	Data Cable (USB); USB type C to micro-B; length 106cm	✓	✓	✓	

# Amateur Radio (Mobile)

01/01/24

All the specifications and prices are subject to change without notice.






## Amateur Mobile Radio



Picture	Model	List Price (excl.VAT)	Descriptions
	<b>ID-5100E</b>	<b>606.06 €</b>	VHF/UHF Digital Transceiver
	<i>Standard Supply</i>		HM-207(Hand Microphone), OPC-1132(DC Power Cable), OPC-837(Separation Cable/3.5m), CS-5100(Programming Software), Spare fuse, Mic hanger
	<b>IC-2730E</b>	<b>316.17 €</b>	VHF/UHF Dualband Transceiver
	<i>Standard Supply</i>		HM-207(Hand Microphone), OPC-837(Separation Cable/3.5m), OPC-345A(DC Power Cable/15A), Mic hanger, Spare fuse

## Accessory



Picture	Model	List Price (excl.VAT)	Description	ID-5100E	IC-2730E
---------	-------	-----------------------	-------------	----------	----------

### HAND MICROPHONE / CABLE






	HM-198	<b>32.42 €</b>	Hand microphone	✓	✓
	HM-209	<b>101.89 €</b>	Handmicrophone with Active noise cancellar	✓	✓
	HM-207	<b>67.85 €</b>	Handmicrophone with DTMF keys	✓	✓
	HM-154	<b>32.73 €</b>	Handmicrophone	✓	✓
	HM-232	<b>30.07 €</b>	Handmicrophone	✓	✓

	OPC-440A	<b>69.66 €</b>	Microphone extension cable (5.0m)	✓	✓
	OPC-647	<b>48.95 €</b>	Microphone extension cable (2.5m)	✓	✓
	OPC-589	<b>26.19 €</b>	Microphone adapter cable, 8 pin	✓	✓



### EXTERNAL SPEAKER




	SP-30	<b>106.93 €</b>	External Speaker 20W (max. 30W), 4Ω, 2-Pin Adapter, 3,5mm Plug, 102,5mm diameter	✓	✓
	SP-35	<b>37.83 €</b>	External Speaker 5W(max.7W), 4Ω, 2m Cable, 3,5mm Plug	✓	✓
	SP-35L	<b>41.43 €</b>	External Speaker 5W(max.7W), 4Ω, 6m Cabel, 3,5mm Plug	✓	✓



### MOUNTING BRACKET

	MBA-2	<b>27.16 €</b>	Controller bracket (With use of MBF-1)	✓	
	MBA-4	<b>33.33 €</b>	Combination bracket		✓
	MBA-5	<b>23.29 €</b>	Controller bracket (With use of MBF-1)		✓
	MBF-1	<b>62.75 €</b>	Mounting base - ID-5100E... MBF-1 is used with MBA-2 - IC-2730E... MBF-1 is used with MBA-5	✓	✓
	MBF-4	<b>13.58 €</b>	Mounting bracket	✓	✓

### OTHERS

<i>NO PHOTO</i>	OPC-1132	<b>21.04 €</b>	DC cable (3m), same as supplied	✓	
<i>NO PHOTO</i>	OPC-837	<b>NOT FIXED</b>	Separation Cable(3.5m) (Spare part. Please ask for price)		✓
	OPC-1156	<b>20.99 €</b>	Controller cable (3.5m)	✓	✓
	OPC-1529R	<b>23.60 €</b>	Data cable for PC or GPS Receiver (RS-232C)	✓	

	OPC-2350LU	<b>58.55 €</b>	USB Cable for Android Based Products or PC (Also same feature for OPC-2218LU)	✓	
NO PHOTO	OPC-2218LU	<b>59.45 €</b>	USB Data Cable for Low Speed Data Communication in DV Mode or Programming with software	✓	
	OPC-474	<b>12.29 €</b>	Programming cable from a radio to another same radio		✓
	OPC-478UD	<b>44.13 €</b>	Programming Cable (Between Radio and PC, USB)	✓	✓





NO PHOTO	CS-2730	FREE	Programming software for IC-2730E, <b>OPC-478UC required</b> , free download under : <a href="http://www.icom.co.jp/world/support/download/firm/">http://www.icom.co.jp/world/support/download/firm/</a>		✓
NO PHOTO	CS-4100	FREE	Programming software of ID-4100E for Windows PC. <b>Micro SD card, OPC-2350LU or OPC-1529R or OPC-478UC required</b> , free download under: <a href="http://www.icom.co.jp/world/support/download/firm/">http://www.icom.co.jp/world/support/download/firm/</a>		
NO PHOTO	CS-5100	FREE	Programming software of IC-5100E for Windows PC, <b>Micro SD card, OPC-2350LU or OPC-1529R or OPC-478UC required</b> , free download under: <a href="http://www.icom.co.jp/world/support/download/firm/">http://www.icom.co.jp/world/support/download/firm/</a>	✓	
	RS-MS1A	FREE	Remote control application for Android 4.0 or newer. <b>Requires UT-133A for ID-5100E and UT-137 for ID-4100E</b> . Free download on Google Play.		✓
	RS-MS1I	FREE	Remote control application for iOS 8.0.1 or newer. <b>Requires UT-137</b> . Free download on App-Store.		
NO PHOTO	RS-MS3A	FREE	Terminal/AP Mode application for Android 4.0 or newer. <b>OPC-2350LU is required</b> . Free download on Google Play.		
NO PHOTO	RS-MS3W	FREE	Terminal/AP Mode application for Windows 7 or newer. <b>OPC-2350LU is required</b> . Free download under; <a href="http://www.icom.co.jp/world/support/download/firm/">http://www.icom.co.jp/world/support/download/firm/</a>		

# D-Star Repeater


01/01/24

All the specifications and prices are subject to change without notice.

## D-STAR Repeater


Category	Model	List Price (excl.VAT)	Description
 ▲ ID-RP1200VD	ID-RP1200VD	1,713.04 €	ID-RP1200VD ... 1.2 GHz, DV/DD/FM ID-RP2010V ... 144 MHz, DV/FM ID-RP4010V ... 430 MHz, DV/FM  *Utility software ID-RP3 which is necessary for configuration, will be provided separately (for free of charge).
 ▲ ID-RP4010V	ID-RP2010V	1,666.72 €	
 ▲ ID-RP1200VD 	ID-RP4010V	1,666.72 €	

## Accessory

Category	Model	List Price (excl.VAT)	Description
	UX-262	325.76 €	LTE unit for ID-RP2010V, ID-RP4010V and ID-RP1200VD repeaters




## Station Receiver

Picture	Model	List Price (excl.VAT)	Descriptions
	<b>IC-R8600</b>	<b>2,547.79 €</b>	High performance software defined receiver 0.010 MHz - 3000 MHz
	<i>Standard Supply</i>		DC power cable, Fuses, Plugs (Power supply AD-55NS isn't included)



## Accessory

Category	Model	List Price (excl.VAT)	Description
----------	-------	-----------------------	-------------



### AC Adapter

	<b>AD-55NS</b>	<b>54.34 €</b>	230V Adapter (15V/2A)
---	----------------	----------------	-----------------------

### Speaker

	<b>SP-23</b>	<b>269.02 €</b>	External Speaker 4 audio filters; headphone jack. Input impedance: 8 Ω Max. input power: 5 W
	<b>SP-39AD</b>	<b>229.51 €</b>	External Speaker with DC power supply High quality audio and matching height Speaker maximum input: 7 W, 8 Ω Power supply output: 15 V/2 A

## ANTENNA / ACCESSORY



	<b>AH-710</b>	<b>373.77 €</b>	Folded Dipole Antenna (1-30MHz) Antenna length : Approx. 24.5m cable length : Approx. 30 m
	<b>AH-8000</b>	<b>231.19 €</b>	Wideband Antenna 100 - 3335 MHz

## REMOTE CONTROL





<i>NO PHOTO</i>	<b>RS-R8600</b>	<b>140.11 €</b>	Remote Control Software for Windows
-----------------	-----------------	-----------------	-------------------------------------

## PROGRAMMING SOFTWARE / CABLE

<i>NO PHOTO</i>	<b>CS-R8600</b>	<b>60.05 €</b>	Programming software
<i>NO PHOTO</i>	<b>MB-123</b>	<b>19.72 €</b>	Carrying grip

Handheld Receiver			
Picture	Model	List Price (excl.VAT)	Descriptions
	<b>IC-R6</b>	<b>160.64 €</b>	Handheld Receiver 0.100 MHz - 1309.995 MHz
	<i>Standard Supply</i>		Ni-MH cells, Cable charger(BC-153SE), Antenna(FA-S270C), Belt Clip(8930044191), Hand Strap(8010018080)
Accessory			
Category	Model	List Price (excl.VAT)	Description
<b>BATTERY PACK / BATTERY CASE</b>			
<b>ANTENNA / ACCESSORY</b>			
NO PHOTO	<b>FA-S270C</b>	<b>15.91 €</b>	VHF/UHF Antenna
	<b>AD-92SMA</b>	<b>17.14 €</b>	Conversion Adapter from SMA to BNC

# Accessory

Category	Model	List Price (excl.VAT)	Description
<b>CHARGER</b>			
NO PHOTO	BC-153SE	21.99 €	Charger adapter for BP-206 Standard Supply of IC-R6
	BC-194	21.34 €	Charger Require BC-153SE separately Standard Supply of IC-R6
<b>OTHERS</b>			
	SP-27	25.22 €	Tube earphone
<b>PROGRAMMING SOFTWARE / CABLE</b>			
	OPC-474	12.29 €	Cloning cable (USB) from receiver to receiver
	OPC-478UC	NOT FIXED	Programming cable between transceiver with PC (USB)
NO PHOTO	CS-R6	60.05 €	Programming software (Requires OPC-478UC)
NO PHOTO	CS-R30	60.05 €	Programming software Needs a general A-micro B USB cable (Included in the standard supply of IC-R30), or a micro SD card (Not supplied)