



HAM Radios and Receivers

2020 European Edition



Cennik radiostacji amatorskich (01.09.2022 Rev 1.5)



SPIS TREŚCI

RADIOSTACJE BAZOWE

IC-7610	Page 4
IC-7300	Page 4
IC-7100	Page 4
IC-718	Page 4
IC-9700	Page 4

RADIOSTACJE RĘCZNE

IC-705	Page 10
IC-V80E	Page 12

RADIOSTACJE SAMOCHODOWE

ID-5100E	Page 14
IC-2730E	Page 14

PRZEMIENNIKI D-STAR

ID-RP2C	Page 17
ID-RP2D	Page 17
ID-RP2V	Page 17
ID-RP2000V	Page 17
ID-RP4000V	Page 17
RS-RP3C	Page 17

RADIOSTACJE BAZOWE


Picture	Model	CENA NETTO	Descriptions
	IC-7610	3,261.17 €	HF/50MHz Transceiver
	<i>Standard Supply</i>		HM-219(Hand microphone), DC Power cable, others
	IC-7300	1,267.88 €	HF/50MHz/70MHz Transceiver
	<i>Standard Supply</i>		HM-219 (Hand microphone), DC power cable, others
	IC-7100	1,154.32 €	HF/VHF/UHF All Mode Transceiver
	<i>Standard Supply</i>		HM-198(Hand Microphone), Control cable, ACC cable, DC power cable, USB cable, others
	IC-9700	1,843.67 €	144, 430/440, 1200 MHz ALL MODE TRANSCEIVER
	<i>Standard Supply</i>		HM-219(Microphone), DC cable

AKCESORIA				IC-7610	IC-7300	IC-7100	IC-9700
Picture	Model	CENA NETTO	Description				
HAND/DESKTOP MICROPHONE							
	HM-219	36.03 €	Hand Microphone (OPC-589 is required for IC-7100)	✓	✓	✓	
	HM-103	80.14 €	Compact Microphone			✓	
	HM-151	52.54 €	Microphone			✓	
	HM-198	32.42 €	Hand Microphone			✓	
	HM-219	36.03 €	Hand Microphone (OPC-589 is required for IC-7100)	✓	✓	✓	✓
	SM-30	144.04 €	Desktop Microphone (OPC-589 is required for IC-7100)	✓	✓	✓	✓
	SM-50	264.82 €	Desktop Microphone (OPC-589 is required for IC-7100)	✓	✓	✓	✓

GŁOŚNIKI

	SP-23	269.02 €	External Speaker, 8Ω, 5W, 4 audio filters	✓	✓		
	SP-33	97.24 €	External Speaker, Wooden box speaker, 4Ω, 5W	✓	✓		
	SP-34	338.11 €	External Speaker, 5W, 4 audio filters	✓	✓		
	SP-35	37.83 €	Compact mobile external speaker, Max input 7W, 2m		✓	✓	✓
	SP-35L	41.43 €	Compact mobile external speaker, 7W, 6m	✓	✓		
	SP-38	162.53 €	5W, 8Ω, Cable length 1.8 m		✓		✓
	SP-41	203.82 €	With two input lines best design		✓		✓

ANTENY / SKRZYNKI ANTENOWE / INNE

	AH-2b	400.38 €	Antenna Element(2.5m) with foot used with AH-4 for mobile operation. Cover area 7-54MHz	✓	✓	✓	
	AH-4	414.30 €	Antenna tuner, covers 3.5 - 54 MHz	✓	✓	✓	
	AH-740	1,992.17 €	Automatic Antenna tuner with Antenna Element, 2.5-30MHz(Amateur radio band), Cable Adapter OPC-2321 is required.	✓	✓	✓	
	AH-710	355.98 €	Floded dipole antenna covers 1.9 - 30 MHz	✓	✓		
	OPC-2321	116.85 €	Control cable used for AH-740 (6m)	✓	✓	✓	

OTHERS						
	MB-121	21.02 €	Carry handle	✓		
	MB-123	19.72 €	Carry handle		✓	✓
	MB-62	15.84 €	Mobile mounting bracket for the main unit			✓
	MB-118	30.71 €	Mobile mounting bracket for using radio in car		✓	✓
	MBF-1	62.75 €	Mounting base for the controller MBA-1 is required.			✓
	MBA-1	18.75 €	Controller bracket			✓
	OPC-2253	60.05 €	Separation cable, 3.5m			✓
	OPC-2254	75.06 €	Separation cable, 5.0m			✓
	OPC-589	26.19 €	Mic adapter cable, 8-pin connector microphone to 8-pin modular			✓
	OPC-599	45.94 €	Adapter cable, 13-pin ACC socket to 7-, 8-pin ACC sockets		✓	✓
<i>NO PHOTO</i>	OPC-1457	65.96 €	DC power cable, 30A	✓		
<i>NO PHOTO</i>	OPC-1457R	70.85 €	DC power cable, 30A		✓	
<i>NO PHOTO</i>	OPC-2095	144.60 €	DC power cable, 30A	✓		✓
<i>NO PHOTO</i>	CS-7100	60.05 €	Programming Software			✓

	RS-BA1	80.43 €	Remote Control Software over IP network	✓	✓	✓	✓
	RC-28	257.25 €	Remote Encoder for remote control used with RS-BA1. Required for IC-7851, IC-7700, IC-7300, IC-7410, IC-7100 and IC-9100. Purchase RS-BA1 separately.	✓	✓	✓	
	RS-MS1A	FREE	Remote Control Software for Android over IP network Used with OPC-2350LU			✓	✓
	OPC-1529R	23.60 €	Data Cable (RS-232) for DV mode			✓	
	OPC-2350LU	58.55 €	Date Cable(USB) to connect with Android Terminal or PC			✓	✓

RADIOSTACJE RĘCZNE

01/09/22

All the specifications and prices are subject to change without notice.

All the specifications and prices are subject to change without notice.

Picture	Model	CENA NETTO	Descriptions		
	IC-705	1,364.70 €	HF/50/144/430 MHz All Mode Transceiver		
	Standard Supply	- Whip antenna for VHF/UHF - HM-243 Speaker-microphone - BP-272 Li-ion battery pack, 7.4 V, 2000 mAh (typ.) - DC power cable - Five printed Basic Manuals in A5 format (English, French, German, Spanish, Italian)			
	ID-52E	528.53 €	Handheld Dual Band D-STAR Transceiver 144-146/430-440MHz		
	Standard Supply	Battery pack, BP-272, Wall charger, BC-167SD, Antenna, FA-S270C, Belt clip, MB-127, Hand strap			
Akcesoria					
Picture	Model	CENA NETTO	Description	IC-705	ID-52E
BATTERY / BATTERY CASE					
	BP-272	73.55 €	(Lithium-Ion) 7,4V/1880mAh(min.) 2000mAh(typ.)	✓	✓
	BP-307	109.57 €	(Li-Ion), 7,2 V / 3050 mAh (min.) 3150 mAh (typ.)	✓	✓
ŁADOWARKI					
	BC-123SE #62	17.79 €	AC adapter (12 V/1 A) with straight type plug	✓	✓
	BC-228	57.05 €	AC adapter used for BC-202IP3L which can be used for up to six charger units.	✓	✓
	BC-202IP3L	38.51 €	- Connectable single rapid charger - Up to 6 units can be connected and charge batteries at the same time - Compatible with the BP-272 and BP-307 Supplied without any AC adapter. Either BC-123SE #62 (for single use), or one BC-228 (AC Adapter) is required for connecting 6 chargers.	✓	✓
	CP-25H	16.17 €	Cigarette cable for use with BC-202IP3L single unit.	✓	✓
	CP-12L	23.60 €	Cigarette Lighter Cable with noise filter		✓
	CP-23L	21.66 €	Cigarette Lighter Cable (Output: 12V / 4A)		✓
	OPC-254L	28.59 €	DC Power Cable		✓
	OPC-2412	80.43 €	DC Power Cable	✓	

SPEAKER MICROPHONE / HEADSET

	HM-243	78.36 €	Speaker Microphone for IC-705 · Remote control function · Powerful speaker and high quality microphone · 4 programmable buttons for Up/Down/A/B · Independent plugs for microphone and speaker	✓	
	VS-3	137.04 €	Bluetooth Headset	✓	✓
	HM-153LS	95.56 €	Earphone Microphone PTT switch w. lock; clip; slim L-plug		✓
	HM-166LS	54.04 €	Earphone Microphone PTT switch w. lock; clip; slim L-plug;		✓
	HM-183LS	82.87 €	Waterproof Speaker Mic. IPX7; 2-pin Slim L type connector		✓
	HM-186LS	35.13 €	Speaker Microphone 2-pin Slim L type connector; 3.5mm socket		✓
	HM-75LS	75.66 €	Speaker Microphone w. remote control (Slim L-plug)		✓
	SP-40	26.51 €	Regular Inner Type Earphon w. 3.5mm plug		✓
	HS-94	23.28 €	Earhook Headset w. Mic. adapter cable required		✓
	HS-95	152.72 €	Behind-the-head Headset NOT waterproof; adapter cable required		✓
	HS-97	32.42 €	Headset Throat Mic. Type with earphone; adapter cable required		✓
	OPC-2006LS	19.08 €	Plug Cable Adapter for HS-94, -95, -97		✓
	OPC-2144	14.55 €	Plug Adapter Cable regular 2-pin to slim L-type 2-pinr		✓

OTHERS

	AH-705	319.64 €	Compact Antenna Tuner for the IC-705 Supplied Accessories: Coaxial cable (2 m, 6.6 ft, BNC connectors, between AH-705 and IC-705) / Control cable (2 m, 6.6 ft, between AH-705 and IC-705) , PL-259 to binding post adapter for a long wire antenna* / Mounting bracket (with a screw and washer) / DC plug *Terminal connector is not supplied for EUR version.	✓	
	MBF-705	29.11 €	MBF-705 Desktop stand	✓	
	MB-127	8.73 €	Belt Clip		✓
	LC-192	190.00 €	Optional Multi-function backpack for IC-705	✓	
	LC-193	27.49 €	Carrying Case		✓
	RS-BA1	80.43 €	RS-BA1 "Version 2" (#12) IP Remote Control Software	✓	
	AD-92SMA	17.14 €	Antenna Connect.Adapter SMA to BNC conversion adapter		✓
NO PHOTO	OPC-2417	27.49 €	Data Cable (USB); USB micro-B to micro-B; length 107cm	✓	✓
NO PHOTO	OPC-2418	27.49 €	Data Cable (USB); USB type C to micro-B; length 106cm	✓	✓

All the specifications and prices are subject to change without notice.

Picture	Model	CENA NETTO	Descriptions		
	ID-5100E	577.20 €	VHF/UHF Digital Transceiver		
	Standard Supply		HM-207(Hand Microphone), OPC-1132(DC Power Cable), OPC-837(Separation Cable/3.5m), CS-5100(Programming Software), Spare fuse, Mic hanger		
	IC-2730E	301.10 €	VHF/UHF Dualband Transceiver		
	Standard Supply		HM-207(Hand Microphone), OPC-837(Separation Cable/3.5m), OPC-345A(DC Power Cable/15A), Mic hanger, Spare fuse		
Akcesoria				ID-5100E	IC-2730E
Picture	Model	CENA NETTO	Description		
HAND MICROPHONE / CABLE					
	HM-198	32.42 €	Hand microphone	✓	✓
	HM-209	101.89 €	Handmicrophone with Active noise cancellar	✓	✓
	HM-207	67.85 €	Handmicrophone with DTMF keys	✓	✓
	HM-154	32.73 €	Handmicrophone	✓	✓
	HM-232	30.07 €	Handmicrophone	✓	✓

	OPC-440A	69.66 €	Microphone extension cable (5.0m)	✓	✓
	OPC-647	44.50 €	Microphone extension cable (2.5m)	✓	✓
	OPC-589	26.19 €	Microphone adapter cable, 8 pin	✓	✓

EXTERNAL SPEAKER

	SP-30	89.11 €	External Speaker 20W (max. 30W), 4Ω, 2-Pin Adapter, 3,5mm Plug, 102,5mm diameter	✓	✓
	SP-35	37.83 €	External Speaker 5W(max.7W), 4Ω, 2m Cable, 3,5mm Plug	✓	✓
	SP-35L	41.43 €	External Speaker 5W(max.7W), 4Ω, 6m Cabel, 3,5mm Plug	✓	✓

UCHWYTY MONTAŻOWE

	MBA-2	27.16 €	Controller bracket (With use of MBF-1)	✓	
	MBA-4	33.33 €	Combination bracket		✓
	MBA-5	23.29 €	Controller bracket (With use of MBF-1)		✓
	MBF-1	62.75 €	Mounting base - ID-5100E... MBF-1 is used with MBA-2 - IC-2730E... MBF-1 is used with MBA-5	✓	✓
	MBF-4	13.58 €	Mounting bracket	✓	✓

BLUETOOTH UNIT

	UT-133A	67.85 €	Bluetooth unit for VS-3	✓	✓
	VS-3	137.04 €	Bluetooth Headset. Speaker with volume adjustment, PTT switch and 3 programmable buttons - ID-5100E/IC-2730E...UT-133A is required	✓	✓

INNE

NO PHOTO	OPC-1132	20.04 €	DC cable (3m), same as supplied	✓	
NO PHOTO	OPC-837	NOT FIXED	Separation Cable(3.5m) (Spare part. Please ask for price)		✓
	OPC-1156	19.08 €	Controller cable (3.5m)	✓	✓
	OPC-1529R	23.60 €	Data cable for PC or GPS Receiver (RS-232C)	✓	
	OPC-2350LU	58.55 €	USB Cable for Android Based Products or PC (Also same feature for OPC-2218LU)	✓	
NO PHOTO	OPC-2218LU	59.45 €	USB Data Cable for Low Speed Data Communication in DV Mode or Programming with software	✓	
	OPC-474	12.29 €	Programming cable from a radio to another same radio		✓
	OPC-478UC	44.13 €	Programming Cable (Between Radio and PC, USB)	✓	✓

NO PHOTO	CS-2730	FREE	Programming software for IC-2730E, OPC-478UC required , free download under : http://www.icom.co.jp/world/support/download/firm/	✓
NO PHOTO	CS-4100	FREE	Programming software of ID-4100E for Windows PC. Micro SD card, OPC-2350LU or OPC-1529R or OPC-478UC required , free download under: http://www.icom.co.jp/world/support/download/firm/	
NO PHOTO	CS-5100	FREE	Programming software of IC-5100E for Windows PC, Micro SD card, OPC-2350LU or OPC-1529R or OPC-478UC required , free download under: http://www.icom.co.jp/world/support/download/firm/	✓
	RS-MS1A	FREE	Remote control application for Android 4.0 or newer. Requires UT-133A for ID-5100E and UT-137 for ID-4100E . Free download on Google Play.	✓
	RS-MS1I	FREE	Remote control application for iOS 8.0.1 or newer. Requires UT-137 . Free download on App-Store.	
NO PHOTO	RS-MS3A	FREE	Terminal/AP Mode application for Android 4.0 or newer. OPC-2350LU is required . Free download on Google Play.	
NO PHOTO	RS-MS3W	FREE	Terminal/AP Mode application for Windows 7 or newer. OPC-2350LU is required . Free download under; http://www.icom.co.jp/world/support/download/firm/	

D-Star Repeater

01/09/22

All the specifications and prices are subject to change without notice.

D-STAR Repeater			
Category	Model	CENA NETTO	Description
 ▲ ID-RP2010V ▲ ID-RP4010V ▲ ID-RP1200VD Q ZOOM	ID-RP1200VD	1,713.04 €	ID-RP1200VD ... 1.2 GHz, DV/DD/FM ID-RP2010V ... 144 MHz, DV/FM ID-RP4010V ... 430 MHz, DV/FM *Utility software ID-RP3 which is necessary for configuration, will be provided separately (for free of charge).
	ID-RP2010V	1,666.72 €	
	ID-RP4010V	1,666.72 €	
Accessory			
Category	Model	CENA NETTO	Description
	UX-262	325.76 €	LTE unit for ID-RP2010V, ID-RP4010V and ID-RP1200VD repeaters

Station Receiver

Picture	Model	CENA NETTO	Descriptions
	IC-R8600	2,547.79 €	High performance software defined receiver 0.010 MHz - 3000 MHz
	<i>Standard Supply</i>		DC power cable, Fuses, Plugs (Power supply AD-55NS isn't included)

Accessory

Category	Model	CENA NETTO	Description
----------	-------	------------	-------------

AC Adapter

	AD-55NS	54.34 €	230V Adapter (15V/2A)
---	----------------	----------------	-----------------------

Speaker

	SP-23	269.02 €	External Speaker 4 audio filters; headphone jack. Input impedance: 8 Ω Max. input power: 5 W
	SP-39AD	229.51 €	External Speaker with DC power supply High quality audio and matching height Speaker maximum input: 7 W, 8 Ω Power supply output: 15 V/2 A

ANTENNA / ACCESSORY

	AH-710	355.98 €	Folded Dipole Antenna (1-30MHz) Antenna length : Approx. 24.5m cable length : Approx. 30 m
	AH-8000	231.19 €	Wideband Antenna 100 - 3335 MHz

REMOTE CONTROL

<i>NO PHOTO</i>	RS-R8600	140.11 €	Remote Control Software for Windows
-----------------	-----------------	-----------------	-------------------------------------

PROGRAMMING SOFTWARE / CABLE

<i>NO PHOTO</i>	CS-R8600	60.05 €	Programming software
<i>NO PHOTO</i>	MB-123	19.72 €	Carrying grip

Handheld Receiver

Picture	Model	CENA NETTO	Descriptions
	IC-R6	160.64 €	Handheld Receiver 0.100 MHz - 1309.995 MHz
	<i>Standard Supply</i>		Ni-MH cells, Cable charger(BC-153SE), Antenna(FA-S270C), Belt Clip(8930044191), Hand Strap(8010018080)

Accessory

Category	Model	CENA NETTO	Description
----------	-------	------------	-------------

BATTERY PACK / BATTERY CASE

ANTENNA / ACCESSORY

NO PHOTO	FA-S270C	15.91 €	VHF/UHF Antenna
	AD-92SMA	17.14 €	Conversion Adapter from SMA to BNC

Accessory

Category	Model	CENA NETTO	Description
CHARGER			
NO PHOTO	BC-153SE	21.99 €	Charger adapter for BP-206 Standard Supply of IC-R6
	BC-194	21.34 €	Charger Require BC-153SE separately Standard Supply of IC-R6
OTHERS			
	SP-27	25.22 €	Tube earphone
PROGRAMMING SOFTWARE / CABLE			
	OPC-474	12.29 €	Cloning cable (USB) from receiver to receiver
	OPC-478UC	44.13 €	Programming cable between transceiver with PC (USB)
NO PHOTO	CS-R6	60.05 €	Programming software (Requires OPC-478UC)
NO PHOTO	CS-R30	60.05 €	Programming software Needs a general A-micro B USB cable (Included in the standard supply of IC-R30), or a micro SD card (Not supplied)